

NYISO Self-Certification

NYSRC Reliability Rule:

I.3: Load Forecasting

NYSRC Requirement(s) for which compliance is being self-certified:

R2. The following information shall be provided annually to the NYSRC as specified by NYISO procedures required under R1.

R.2.1 Annual peak hour actual *demands* in MW and net energy for *load* in gigawatthours (GWh) for the prior year, on an aggregated statewide and *transmission district* basis.

R.2.2 Annual peak hour forecast *demands* in MW (summer and winter) in MW and annual net energy in GWh for at least five years and to ten years into the future, on an aggregated statewide and *Transmission Owner* basis. In addition, annual peak hour forecast *demands* for the *NYCA zones*, for a specified future period, will be provided to the NYSRC on request.

Measure:

☒ Full Compliance	M2: Aggregated actual and forecast demand and net energy for <i>load</i> data was provided when requested in accordance with R2.
---	---

Compliance Monitoring Process

Compliance Monitoring Responsibility:

- **M2:** RCMS

Compliance Documentation Reporting Frequency:

- **M2:** Annually

Compliance Reporting Requirements:

- **M2:** Aggregated actual and forecast demand and net energy for *load* data was provided when requested.

Levels of Non-Compliance:

___ Level 1	M2: Not applicable.
___ Level 2	M2: Actual and forecast demand and energy data was not provided when requested in one or more of the areas as required by R2.
___ Level 3	M2: Not applicable.
___ Level 4	M2: No actual and forecast demand and energy data, as required by R2, was provided when requested.

Reliability Rule I.3 R2 Narrative:

The following information is provided to the NYSRC in the 2025 IRM Study and the NYISO 2025 Load and Capacity Data Report:

- a. Annual peak hour actual demands in megawatts (MW) and net energy for load in Gigawatt-hours (GWh) for the prior year, on an aggregated statewide and transmission district basis.
- b. Annual peak hour forecast demands in MW (summer and winter) in MW and annual net energy in GWh for at least five years and up to ten years into the future, on an aggregated statewide and zonal basis.

In addition, annual peak hour forecast demands for the NYCA Transmission Districts, for a specified future period, will be provided to the NYSRC on request. The 2025 Load and Capacity Report can be found on the NYISO website under Library/Reports/Planning Reports.

The NYISO also provided a Fall Forecast for the year 2025 at the October 4, 2024 ICS meeting. This forecast was reviewed by the Load Forecasting Task Force.

Certified by: Udayan Nair

Title: Director, Grid Transition

Date: November 26, 2025