

# NYISO Self-Certification

## NYSRC Reliability Rule

### A.3: Review of Resource Adequacy

#### NYSRC Requirement(s) for which compliance is being self-certified

**R3.** The NYISO shall submit a report in the Intervening Year between NYCA Long-Term Resource Adequacy Assessments to inform the NYSRC of any significant updates to assumptions and, if available, findings from the latest final NYISO Comprehensive Reliability Plan or other final NYISO report which may include solutions to reliability needs identified in the Long-Term Resource Adequacy Assessment.

#### Compliance Monitoring Process

##### Compliance Monitoring Responsibility:

- **M3:** RCMS

##### Compliance Documentation Reporting Frequency:

- **M3:** During the intervening year between R2 report submissions.

##### Compliance Reporting Requirements:

- **M3:** Intervening Year Resource Adequacy Assessment Update report.

#### Measure No.

<input checked="" type="checkbox"/> Full Compliance	<b>M3.</b> The NYISO submitted an Intervening Year report providing significant Long-Term Resource Adequacy updates to the NYSRC in accordance with R3 requirements.
---	--

#### Levels of Non-Compliance

___ Level 1	<b>M3.</b> Not applicable.
___ Level 2	<b>M3.</b> Not applicable.
___ Level 3	<b>M3.</b> Not applicable.
___ Level 4	<b>M3.</b> An Intervening Year Resource Adequacy report was not submitted.

### **Reliability Rule A.3 Narrative (R3)**

The Manager, Resource Planning reviews the NYISO bi-annual Reliability Needs Assessment and the bi-annual Comprehensive Reliability Plan. If it is determined that a material change has occurred to the resource mix, the Manager, Resource Planning prepares a report to the NYSRC addressing the change and the NYISO's plan to address the RA needs.

**Certified by:** Laura Popa

**Title:** Manager, Resource Planning

**Date:** February 5, 2026